



# भारत का राजपत्र The Gazette of India

असाधारण  
EXTRAORDINARY

भाग II—खण्ड 3—उप-खण्ड (ii)  
PART II—Section 3—Sub-section (ii)

प्राधिकार से प्रकाशित  
PUBLISHED BY AUTHORITY

---

|          |  |
|----------|--|
| सं. 269] | नई दिल्ली, बुधवार, फरवरी 22, 2012/फाल्गुन 3, 1933        |
| No. 269] | NEW DELHI, WEDNESDAY, FEBRUARY 22, 2012/PHALGUNA 3, 1933 |

---

रेल मंत्रालय

(रेलवे बोर्ड)

अधिसूचना

नई दिल्ली, 21 फरवरी, 2012

का.आ. 305(अ).—केन्द्रीय सरकार, रेल अधिनियम, 1989 (1989 का 24) (जिसे इसमें इसके पश्चात् उक्त अधिनियम कहा गया है) की धारा 20क की उप-धारा (1) द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए, यह समाधान हो जाने के पश्चात् कि लोक प्रयोजन के लिए, ऐसी भूमि का, जिसका सक्षिप्त विवरण इससे उपाबद्ध अनुसूची में दिया गया है, हरियाणा राज्य के रेवाड़ी जिले में विशेष रेल परियोजना, अर्थात् वेस्टर्न डेडीकेटेड फ्रेट कॉरीडोर के निष्पादन, अनुरक्षण, प्रबंध और प्रचालन के प्रयोजन के लिए अपेक्षित है, अर्जन करने के अपने आशय की घोषणा करती है;

उक्त भूमि में हितबद्ध कोई व्यक्ति, इस अधिसूचना के राजपत्र में प्रकाशन की तारीख से तीस दिन की अवधि के भीतर, उक्त अधिनियम की धारा 20घ की उप-धारा (1) के अधीन पूर्वोक्त प्रयोजन के लिए ऐसी भूमि के अर्जन और उपयोग के संबंध में आक्षेप कर सकेगा;

प्रत्येक ऐसा आक्षेप, सक्षम प्राधिकारी अर्थात् जिला राजस्व अधिकारी, रेवाड़ी, हरियाणा को लिखित में किया जाएगा और उसमें उसके आधार उपवर्णित किए जाएंगे तथा सक्षम प्राधिकारी, आक्षेपकर्ता को या ता वैयक्तिक रूप से या विधि व्यवसायी के माध्यम से सुनवाई का अवसर प्रदान करेगा और सभी ऐसे आक्षेपों की सुनवाई करने तथा ऐसी और जांच, यदि कोई हो, करने के पश्चात्, जो सक्षम प्राधिकारी आवश्यक समझे, आदेश द्वारा, या तो आक्षेपों को अनुज्ञात या अननुज्ञात कर सकेगा;

उक्त अधिनियम की धारा 20घ की उप-धारा (2) के अधीन सक्षम प्राधिकारी द्वारा किया गया कोई आदेश अंतिम होगा;

इस अधिसूचना के अधीन आने वाली भूमि का रेखांक और अन्य ब्यौरे उपलब्ध हैं और उनका हितबद्ध व्यक्ति द्वारा सक्षम प्राधिकारी के पूर्वोक्त कार्यालय में निरीक्षण किया जा सकता है।

## अनुसूची

हरियाणा राज्य में विशेष रेल परियोजना, अर्थात्, पश्चिमी समर्पित मालभाड़ा कॉरीडोर के भीतर आने वाली भूमि का संरचना सहित या उसके बिना अर्जित की जाने वाली भूमि का संक्षिप्त विवरण

जिले का नाम : रेवाड़ी

तालुका का नाम : रेवाड़ी

| क्रम संख्या | ग्राम का नाम | खसरा संख्या | क्षेत्रफल हेक्टर में |
|-------------|--------------|-------------|----------------------|
| (1)         | (2)          | (3)         | (4)                  |
| 1.          | टीन्ट        | 10//18      | 0.0010               |
| 2.          | पिथरावास     | R-447       | 0.0121               |
|             |              | 415         | 0.0285               |
|             |              | 416         | 0.0443               |
| 3.          | भान्डीर      | 13//27      | 0.0050               |
| 4.          | ठोठवाल       | 13//1       | 0.3683               |
|             |              | 13//2       | 0.1393               |
|             |              | 13//10      | 0.1253               |
|             |              | 13//9       | 0.0774               |
|             |              | 13//12      | 0.1068               |
|             |              | 13//11      | 0.2325               |
|             |              | 12//1/3     | 0.0896               |
|             |              | 12//2       | 0.1893               |
|             |              | 12//3/2     | 0.2367               |
|             |              | 12//4       | 0.2828               |
|             |              | 12//5       | 0.3288               |
|             |              | 12//6       | 0.1178               |
|             |              | 12//7       | 0.1174               |
|             |              | 12//8       | 0.1361               |
|             |              | 12//9/1     | 0.1428               |
|             |              | 12//9/2     | 0.0406               |
|             |              | 12//10/1    | 0.0711               |
|             |              | 12//10/2    | 0.0115               |
|             |              | 12//10/3    | 0.0471               |
|             |              | 12//11/2    | 0.0398               |
|             |              | 12//11/3    | 0.0602               |
|             |              | R-47        | 0.0227               |
|             |              | 12//12      | 0.3400               |
|             |              | 12//13      | 0.3524               |
|             |              | 12//14      | 0.3247               |
|             |              | 12//15      | 0.2787               |
|             |              | 12//20      | 0.0059               |
|             |              | 12//19      | 0.0129               |
|             |              | 2//12       | 0.0167               |
|             |              | 2//19       | 0.0938               |
|             |              | 3//24       | 0.0351               |
|             |              | R-45        | 0.1186               |

|    |          |            |        |
|----|----------|------------|--------|
| 5. | हुसैनपुर | 54//1      | 0.1186 |
|    |          | 54//2      | 0.1435 |
|    |          | 44//25     | 0.0712 |
|    |          | 44//16     | 0.2281 |
|    |          | 44//15/1   | 0.3039 |
|    |          | 44//15/2   | 0.0507 |
|    |          | 44//6      | 0.4061 |
|    |          | R-168      | 0.2312 |
|    |          | 44//7      | 0.0474 |
|    |          | 44//4      | 0.1182 |
|    |          | 44//5      | 0.4061 |
|    |          | 43//1      | 0.3759 |
|    |          | 43//2      | 0.0607 |
|    |          | 43//10     | 0.3759 |
|    |          | 43//21/1   | 0.2715 |
|    |          | 43//21/2   | 0.0776 |
|    |          | R-60       | 0.1057 |
|    |          | 43//22/1   | 0.1381 |
|    |          | 43//22/2   | 0.1567 |
|    |          | 43//9      | 0.1328 |
|    |          | 43//11     | 0.4061 |
|    |          | 43//12     | 0.2049 |
|    |          | 43//20     | 0.4061 |
|    |          | 43//19     | 0.2770 |
|    |          | 40//24     | 0.1617 |
|    |          | 40//25     | 0.3448 |
|    |          | 40//17     | 0.1805 |
|    |          | 40//16     | 0.3759 |
|    |          | 40//14     | 0.1604 |
|    |          | 40//15/1   | 0.2515 |
|    |          | 40//15/2   | 0.1243 |
|    |          | 40//7/1    | 0.3337 |
|    |          | 40//6      | 0.4061 |
|    |          | 40//4      | 0.0824 |
|    |          | 40//5      | 0.4061 |
|    |          | 41//1/1    | 0.0201 |
|    |          | 41//1/2    | 0.0862 |
|    |          | 41//10     | 0.1785 |
|    |          | 41//11     | 0.2506 |
|    |          | 41//20     | 0.3530 |
|    |          | 41//21     | 0.3569 |
|    |          | 41//22     | 0.0024 |
|    |          | 32//16     | 0.1964 |
|    |          | 32//25     | 0.2990 |
|    |          | 32//15     | 0.0786 |
|    |          | 31//20/2   | 0.0518 |
|    |          | 46//14/1/1 | 0.0006 |
|    |          | R-73       | 0.0311 |
|    |          | 31//21     | 0.1204 |
|    |          | 31//11/1   | 0.0022 |

|     |                    |          |        |
|-----|--------------------|----------|--------|
| 6.  | डालियाकी           | 4//1     | 0.2498 |
|     |                    | 4//2     | 0.1773 |
|     |                    | 4//8     | 0.1933 |
|     |                    | 4//9     | 0.3920 |
|     |                    | 4//10    | 0.0898 |
|     |                    | 4//12/1  | 0.1623 |
|     |                    | 4//12/2  | 0.0042 |
|     |                    | 4//13/1  | 0.2154 |
|     |                    | 4//13/2  | 0.0143 |
|     |                    | 4//18    | 0.0091 |
| 7.  | कानमाजरा           | R-39     | 0.0462 |
|     |                    | 16//7/3  | 0.2304 |
| 8.  | चन्दावास           | R-195    | 0.0311 |
| 9.  | गोकलगढ़            | 24//25   | 0.1258 |
| 10. | गिन्दोखर           | 23//23   | 0.0004 |
| 11. | जादुवास            | 13//3    | 0.1760 |
|     |                    | 13//4    | 0.0898 |
|     |                    | 13//5    | 0.0923 |
|     |                    | 14//1    | 0.0453 |
|     |                    | R-58     | 0.0059 |
|     |                    | 14//10   | 0.0039 |
|     |                    | 13//7    | 0.0720 |
|     |                    | 13//6/1  | 0.0382 |
|     |                    | 12//23   | 0.0031 |
|     |                    | 29//16/2 | 0.0020 |
| 12. | भाडावास            | 50//17/1 | 0.2695 |
| 13. | डवाना              | 29//16/1 | 0.0003 |
|     |                    | R-59/1   | 0.0459 |
| 14. | लालपुर             | 17//8    | 0.0038 |
|     |                    | 17//9    | 0.1832 |
|     |                    | 17//10   | 0.0236 |
|     |                    | 17//11   | 0.2383 |
|     |                    | 17//12   | 0.3648 |
|     |                    | 17//19   | 0.1322 |
|     |                    | 17//20   | 0.2190 |
| 15. | कसौला              | 45       | 0.1714 |
|     |                    | 28//11   | 0.0083 |
|     |                    | 30//11/2 | 0.0002 |
| 16. | लोधाना             | R-55     | 0.0136 |
| 17. | पिथनावास           | 46//21   | 0.0585 |
|     |                    | 46//12   | 0.0601 |
| 18. | आसियाकी टपपा जड़थल | 37//1    | 0.0359 |
|     |                    |          |        |

|     |       |         |        |
|-----|-------|---------|--------|
| 19. | जड़थल | 124//6  | 0.2436 |
|     |       | 111//21 | 0.0199 |
|     |       | 111//16 | 0.0199 |

[फा. सं. 2010/एलएमएल/12/4-वेस्टर्न कॉरीडोर]

ओ. पी. सिंह, कार्यकारी निदेशक (भूमि और सुविधाएं-1)

## MINISTRY OF RAILWAYS

(RAILWAY BOARD)

## NOTIFICATION

New Delhi, the 21st February, 2012

S.O. 305(E).—In exercise of the powers conferred by sub-section (1) of section 20A of the Railways Act, 1989 (24 of 1989) (hereinafter referred to as the said Act), the Central Government, after being satisfied that for the public purpose, the land, the brief description of which has given in the Schedule annexed hereto, is required for the purpose of execution, maintenance, management and operation of the Special Railway Project, namely, Western Dedicated Freight Corridor in the district of Rewari in the State of Haryana, hereby declares its intention to acquire such land;

Any person interested in the said land may, within a period of thirty days from the date of publication of this notification in the Official Gazette, raise objection to the acquisition and use of such land for the aforesaid purpose under sub-section (1) of section 20D of the said Act;

Every such objection shall be made to the competent authority, namely, District Revenue officer, Rewari, Haryana in writing and shall set out the grounds thereof, and the competent authority shall give the objector an opportunity of being heard, either in person or by legal practitioner, and may, after hearing all such objections and after making such further enquiry, if any, as the competent authority thinks necessary, by order, either allow or disallow the objections;

Any order made by the competent authority under sub-section (2) of section 20D of the said Act shall be final;

The land plans and other details of the land covered under this notification are available and can be inspected by the interested person at the aforesaid office of the competent authority.

538 46712-2

**SCHEDULE**

**Brief description of the land to be acquired, with or without structure, for the Special Railway Project, namely, Western Dedicated Freight Corridor in the State of Haryana**

Name of District : Rewari

Name of Taluka : Rewari

| Serial Number | Name of the Village | Survey Number | Area in Hectares |
|---------------|---------------------|---------------|------------------|
| (1)           | (2)                 | (3)           | (4)              |
| 1             | Teint               | 10//18        | 0.0010           |
| 2             | Pithrawas           | R-447         | 0.0121           |
|               |                     | 415           | 0.0285           |
|               |                     | 416           | 0.0443           |
| 3             | Bhandhor            | 13//27        | 0.0050           |
| 4             | Tothwal             | 13//1         | 0.3683           |
|               |                     | 13//2         | 0.1393           |
|               |                     | 13//10        | 0.1253           |
|               |                     | 13//9         | 0.0774           |
|               |                     | 13//12        | 0.1068           |
|               |                     | 13//11        | 0.2325           |
|               |                     | 12//1/3       | 0.0896           |
|               |                     | 12//2         | 0.1893           |
|               |                     | 12//3/2       | 0.2367           |
|               |                     | 12//4         | 0.2828           |
|               |                     | 12//5         | 0.3288           |
|               |                     | 12//6         | 0.1178           |
|               |                     | 12//7         | 0.1174           |
|               |                     | 12//8         | 0.1361           |
|               |                     | 12//9/1       | 0.1428           |
|               |                     | 12//9/2       | 0.0406           |
|               |                     | 12//10/1      | 0.0711           |
|               |                     | 12//10/2      | 0.0115           |
|               |                     | 12//10/3      | 0.0471           |
|               |                     | 12//11/2      | 0.0398           |
|               |                     | 12//11/3      | 0.0602           |
|               |                     | R-47          | 0.0227           |
|               |                     | 12//12        | 0.3400           |
|               |                     | 12//13        | 0.3524           |
|               |                     | 12//14        | 0.3247           |
|               |                     | 12//15        | 0.2787           |
|               |                     | 12//20        | 0.0059           |
|               |                     | 12//19        | 0.0129           |
|               |                     | 2//12         | 0.0167           |
|               |                     | 2//19         | 0.0938           |
|               |                     | 3//24         | 0.0351           |
|               |                     | R-45          | 0.1186           |
| 5             | Hussainpur          | 54//1         | 0.1186           |
|               |                     | 54//2         | 0.1435           |
|               |                     | 44//25        | 0.0712           |
|               |                     | 44//16        | 0.2281           |
|               |                     | 44//15/1      | 0.3039           |
|               |                     | 44//15/2      | 0.0507           |

| (1) | (2)     | (3)        | (4)    |
|-----|---------|------------|--------|
|     |         | 44//6      | 0.4061 |
|     |         | R-168      | 0.2312 |
|     |         | 44//7      | 0.0474 |
|     |         | 44//4      | 0.1182 |
|     |         | 44//5      | 0.4061 |
|     |         | 43//1      | 0.3759 |
|     |         | 43//2      | 0.0607 |
|     |         | 43//10     | 0.3759 |
|     |         | 43//21/1   | 0.2715 |
|     |         | 43//21/2   | 0.0776 |
|     |         | R-60       | 0.1057 |
|     |         | 43//22/1   | 0.1381 |
|     |         | 43//22/2   | 0.1567 |
|     |         | 43//9      | 0.1328 |
|     |         | 43//11     | 0.4061 |
|     |         | 43//12     | 0.2049 |
|     |         | 43//20     | 0.4061 |
|     |         | 43//19     | 0.2770 |
|     |         | 40//24     | 0.1617 |
|     |         | 40//25     | 0.3448 |
|     |         | 40//17     | 0.1805 |
|     |         | 40//16     | 0.3759 |
|     |         | 40//14     | 0.1604 |
|     |         | 40//15/1   | 0.2515 |
|     |         | 40//15/2   | 0.1243 |
|     |         | 40//7/1    | 0.3337 |
|     |         | 40//6      | 0.4061 |
|     |         | 40//4      | 0.0824 |
|     |         | 40//5      | 0.4061 |
|     |         | 41//1/1    | 0.0201 |
|     |         | 41//1/2    | 0.0862 |
|     |         | 41//10     | 0.1785 |
|     |         | 41//11     | 0.2506 |
|     |         | 41//20     | 0.3530 |
|     |         | 41//21     | 0.3569 |
|     |         | 41//22     | 0.0024 |
|     |         | 32//16     | 0.1964 |
|     |         | 32//25     | 0.2990 |
|     |         | 32//15     | 0.0786 |
|     |         | 31//20/2   | 0.0518 |
|     |         | 46//14/1/1 | 0.0006 |
|     |         | R-73       | 0.0311 |
|     |         | 31//21     | 0.1204 |
|     |         | 31//11/1   | 0.0022 |
| 6   | Daliaki | 4//1       | 0.2498 |
|     |         | 4//2       | 0.1773 |
|     |         | 4//8       | 0.1933 |
|     |         | 4//9       | 0.3920 |
|     |         | 4//10      | 0.0898 |

| (1) | (2)                  | (3)      | (4)    |
|-----|----------------------|----------|--------|
|     |                      | 4//12/1  | 0.1623 |
|     |                      | 4//12/2  | 0.0042 |
|     |                      | 4//13/1  | 0.2154 |
|     |                      | 4//13/2  | 0.0143 |
|     |                      | 4//18    | 0.0091 |
| 7   | Kanmajra             | R-39     | 0.0462 |
|     |                      | 16//7/3  | 0.2304 |
| 8   | Chandawas            | R-195    | 0.0311 |
| 9   | Gaukalgarh           | 24//25   | 0.1258 |
| 10  | Gindhokhar           | 23//23   | 0.0004 |
| 11  | Jatuwas              | 13//3    | 0.1760 |
|     |                      | 13//4    | 0.0898 |
|     |                      | 13//5    | 0.0923 |
|     |                      | 14//1    | 0.0453 |
|     |                      | R-58     | 0.0059 |
|     |                      | 14//10   | 0.0039 |
|     |                      | 13//7    | 0.0720 |
|     |                      | 13//6/1  | 0.0382 |
|     |                      | 12//23   | 0.0031 |
|     |                      | 29//16/2 | 0.0020 |
| 12  | Bhadawas             | 50//17/1 | 0.2695 |
| 13  | Dawana               | 29//16/1 | 0.0003 |
|     |                      | R-59/1   | 0.0459 |
| 14  | Lalpur               | 17//8    | 0.0038 |
|     |                      | 17//9    | 0.1832 |
|     |                      | 17//10   | 0.0236 |
|     |                      | 17//11   | 0.2383 |
|     |                      | 17//12   | 0.3648 |
|     |                      | 17//19   | 0.1322 |
|     |                      | 17//20   | 0.2190 |
| 15  | Kasola               | 45       | 0.1714 |
|     |                      | 28//11   | 0.0083 |
|     |                      | 30//11/2 | 0.0002 |
| 16  | Lodhana              | R-55     | 0.0136 |
| 17  | Pithnawas            | 46//21   | 0.0585 |
|     |                      | 46//12   | 0.0601 |
| 18  | Asiaki Tappa Jarthal | 37//1    | 0.0359 |
| 19  | Jarthal              | 124//6   | 0.2436 |
|     |                      | 111//21  | 0.0199 |
|     |                      | 111//16  | 0.0199 |

[F. No. 2010/LML/12/4-Western Corridor]

O. P. SINGH, Executive Director (Land and Amenities-1)